



Fall protection

PROTECTOR TETRA AN14006T

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 6 metres



Specific benefits



Hygiene

- Harnesses and textiles can be washed with neutral soap



Easy to use

- Automatic carabiners for secure and time-saving locking
- Carrying handle for easy transport
- NFC system guarantees traceability



Durability

- Impact-resistant ABS housing



Visibility

- Visual fall indicator for instant verification that the product is working properly

Applications

- Building
- Maintenance
- Chemical industry
- Petrochemical
- Storage

Certifications and norms



EN360

RFU 10.060
HORIZONTAL CERTIFICATION



Fall protection

PROTECTOR TETRA AN14006T

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 6 metres

Standards - Details

Technical details

Type of equipment	Webbing reel
Composition of the main support	ABS (Acrylonitrile Butadiene Styrene), Polyester
Strap width	25 mm
ARA lenght	6 m
ARA lenght	236.2206 inch
Included elements	Included energy absorber
Color	Orange
SIZE	6 m
Benefits element	Fall indicator
Lifespan from manufacturing	10 years
Weight	5,4 kg
Maximum load for one person	100 kg
Fall arrest work situations	Vertical movement on a permanent structure, Long vertical movement or movement on inclined surface, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure
Locking system	Inertia locking system



Fall protection

PROTECTOR TETRA AN14006T

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for distances of up to 6 metres

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code	Multiple sales	Minimum sales	Weight
AN14006T	Orange	6 m	PROTECTOR TETRA AN14006T	3295249195472	13295249195479	1	1	5.6 kg