



PROTECTOR LOAD AN518

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Zaštita od pada tereta za osiguranje 250 kg tereta, s kabelom duljine 15 metara

Oprema protiv pada



Prednosti



Jednostavnost korištenja

- Ručka za lakše nošenje
- NFC sustav koji jamči sljedivost



Trajnost

- ABS kućište otporno na udarce

Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija
- Petrokemija
- Skladištenje

Certifikati i standardi



2006/42/EEC

Štiti od



Pad



PROTECTOR LOAD AN518

SUSTAVI ZA SPREČAVANJE PADA S AUTOMATSKIM ZAUSTAVLJANJEM

Zaštita od pada tereta za osiguranje 250 kg tereta, s kabelom duljine 15 metara

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Kalem za namatanje sajle
Sastav glavnog nosača	ABS, Pocinčani čelik
Maks. duljina (m)	15
ARA duljina (m)	15
ARA duljina (inch)	590.5515
Promjer sajle (mm)	4
Boja	Crna
Vijek upotrebe nakon datuma proizvodnje (godine)	20
Težina (kg) (kg)	5,9
Sigurno radno opterećenje (kg)	250








PROTECTOR LOAD AN518

RETRACTABLE FALL ARRESTERS

Fall protection

Load fall arrester for securing a load of 250 kg with a cable course of 15 metres

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
SRLPROC01505 BK [AN518]	Black	15 m	PROTECTOR LOAD AN518	3660348003643	13660348003640	1	1	6.25 kg	39.0 cm	28.0 cm	14.0 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height