Fall protection

AM007

ANCHORAGE DEVICES

Steel sling covered with a protective sheath, designed for structures with sharp angles



Applications

- **Agriculture**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Chemical industry**
- **Mining**

Certifications and norms

CE CATEGORY III

EN354

EN 795
TYPE B

Protects against risks

Fall



Fall protection

AM007

ANCHORAGE DEVICES

Steel sling covered with a protective sheath, designed for structures with sharp angles

Standards - Details

Technical details

Type of equipment	Sling anchor
Composition of the main support	Steel
Length (m)	1
Cable diameter (mm)	8
Included elements	protective sheath
Color	Steel
Ending	2 thimble ferrule loops
Weight (kg)	0,600
Breaking Strength (Kn)	12kN
Fall arrest work situations	Restraint, Rescue and evacuation, Long vertical movement or movement on inclined surface, Long vertical movement or movement on inclined surface for rope access work, Short vertical movement or movement on inclined surface (less than 3 m), Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m)
Lenght (ft)	3.2808
Diameter (mm)	8

Yüksekte Çalışma

AM007

ANCHORAGE DEVICES

Keskin açılı yapılar için tasarlanmış, koruyucu kılıfla kaplı çelik sapan

Lojistik bilgileri

Referans	Renk	Boyut	Tanımlama	EAN 13	Kod karton			Ağırlık			
ANC06ST001011 [AM007]	Çelik	1 m	AM007	3660348006149	13660348006146	5	1	3.2 kg	46.5 cm	28.0 cm	12.0 cm

çoklu satış

minimum satış

Kutu Genişliği

Kutu Derinliği

Kutu Yüksekliği