



Leesés elleni védelem

TRA22

ZUHANÁSGÁTLÁS ÉS MENTÉS, ZÁRT TÉR

Max. 2 méterig kihúzható alumínium háromlábú állvány, 2 tartólappal, könnyű és könnyen felszerelhető, minden típusú munkához szűk helyeken



Alkalmazási terület

- Építőipar
- Belső munkák / Mesterember
- Karbantartás
- Vegyipar
- Olaj és gáz (kitermelés)
- Bányászat

Minősítések és szabványok

CE III. KATEGÓRIA

EN 795
B TÍPUS

TS16415
3

Védelmet nyújt a



Leesés



Leesés elleni védelem

TRA22

ZUHANÁSGÁTLÁS ÉS MENTÉS, ZÁRT TÉR

Max. 2 méterig kihúzható alumínium háromlábú állvány, 2 tartólappal, könnyű és könnyen felszerelhető, minden típusú munkához szűk helyeken

Részletek - Szabványok

Műszaki részletek

Felszerelés típusa	Teleszkópos háromlábú állvány
A fő támasz összetétele	Alumínium
Rögzítőeszköz	Háromlábú állvány
Max. hossz (m)	1,97
Min. hossz (m)	1,25
Szín	Alumínium
Súly (kg) (kg)	17,4
Ellenállás (Kn)	20
Tengelytáv (m)	1,89
Nincsenek mellékelve	TRA103 lépcső
Munkahelyi lezuhanásgátló intézkedések	Mentés és evakuálás, Vertikális elmozdulás zárt térben



Fall protection

TRA22

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ANCF2AL1Z9021 [TRA22]	Aluminium- coloured	Adjustable	TRA22	3295249194093	13295249194090	1	1	23.75 kg	150.5 cm	30.5 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height