



Oprema protiv pada

TRA22

OPREMA ZA ZAŠTITU OD PADA I SPAŠAVANJE

Aluminijski stativ visine do 2 metra s dvije potporne pločice, lagan i jednostavan za postavljanje za sve vrste radova u skučenim prostorima



Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Kemijska industrija
- Nafta i plin (vađenje)
- Rudarska industrija

Certifikati i standardi



EN 795
TIP B

TS16415
3

Štiti od



Pad



Oprema protiv pada

TRA22

OPREMA ZA ZAŠTITU OD PADA I SPAŠAVANJE

Aluminijski stativ visine do 2 metra s dvije potporne pločice, lagan i jednostavan za postavljanje za sve vrste radova u skučenim prostorima

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Teleskopski tronožac
Sastav glavnog nosača	Aluminij
Sidreni uređaj	Stativ
Maks. duljina (m)	1,97
Min. duljina (m)	1,25
Boja	Boja aluminija
Težina (kg) (kg)	17,4
Otpornost (Kn)	20
Međuosovinski razmak (m)	1,89
Nije uključeno	Ljestve TRA103
Radne situacije za zaštitu od pada	Spašavanje i evakuacija, Vertikalno kretanje u ograničenom prostoru



Fall protection

TRA22

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ANCF2AL1Z9021 [TRA22]	Aluminium- coloured	Adjustable	TRA22	3295249194093	13295249194090	1	1	23.75 kg	150.5 cm	30.5 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height