



Fall protection

TRA22

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Aluminijast stativ do 2 m, z 2 podpornima ploščama, lahek in enostaven za namestitev za vse vrste dela v omejenih prostorih.



Aplikacije

- Stavba
- Second work / craftman
- Vzdrževanje
- Kemična industrija
- Nafta in plin (pridobivanje)
- Rudarska industrija

Certifikati in norme



EN 795
TIP B

TS16415
3

Zaščita pred tveganji



Fall



Fall protection

TRA22

ANTICHUTE ET SAUVETAGE, ESPACE CONFINÉ

Aluminijast stativ do 2 m, z 2 podpornima ploščama, lahek in enostaven za namestitvev za vse vrste dela v omejenih prostorih.

Standardi - podrobnosti

Tehnične podrobnosti

Vrsta opreme	Teleskopski stativ
Sestava glavnega nosilca	Aluminij
Naprava za sidranje	Stativ
Največja dolžina (m)	1,97
Min. dolžina (m)	1,25
Barva	Aluminij
Teža (kg)	17,4
Prelomna trdnost (Kn)	20
Medosna razdalja na tleh (m)	1,89
Ni vključeno	TRA103 korak
Delovne situacije z zaustavitvijo padca	Reševanje in evakuacija, Vertikalno gibanje, zaprti prostori



Fall protection

TRA22

FALL ARREST AND RESCUE, CONFINED SPACE

Aluminium tripod up to 2 metres, with 2 support plates, light and easy to install for all types of work in confined spaces

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ANCF2AL1Z9021 [TRA22]	Aluminium- coloured	Adjustable	TRA22	3295249194093	13295249194090	1	1	23.75 kg	150.5 cm	30.5 cm	28.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height