

## HAR14

#### **FALL ARRESTER HARNESSES**

Harness with two-coloured straps for intuitive fitting with positioning belt, for occasional wearers



# **Specific benefits**



### Hygiene

· Harnesses and textiles can be washed with neutral soap



#### **Performance**

 $\cdot$  Certification above the maximum rated load of 100 kg: product certified at 140 kg



#### Easy to use

- · Two-tone strap for easy harness fitting
- · NFC system guarantees traceability

# **Applications**

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Power Energy
- Forestry

## **Certifications and norms**



EN361

140 KG

**EN358** 

140 KG







# HAR14

### **FALL ARRESTER HARNESSES**

Harness with two-coloured straps for intuitive fitting with positioning belt, for occasional wearers

## **Standards - Details**

### **Technical details**

Type of equipment	Fall arrester harness with belt			
Composition of the main support	Steel, Polyester			
Adjustment	2 adjustable lateral plates			
Fastening	Buckles			
Total number of attachment points for the fall arrester	2			
Number of total holding attachment points	2			
Buckles	Manual loop			
Anti-fall point	Dorsal, Sternal			
Holding point	Belt			
Color	Orange			
Comfort elements	Thermoformed back			
Lifespan from manufacturing	10 years			
Weight	1,1 kg			
Number of manual buckles	3			
Padding	Back, Belt			
Fall arrest work situations	Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection			







# HAR14

### **IMBRACATURE ANTICADUTA**

Imbracatura con cinghie bicolori e cintura di posizionamento, per uso occasionale

Informazioni sulla logistica										
Riferimento	Colore	Dimensione	Designazione	EAN 13	Codice cartone	PCB	SPCB	Peso		
HAR14GT	Arancio	S/M/L	HAR14	3295249180355	13295249180352	10	1	14.042 kg		
HAR14XX	Arancio	XL/XXL	HAR14	3295249180362	13295249180369	10	1	14.5 kg		



