



HAR14

防坠落安全带

坠落防护

具备双色系带和定位腰带的安全带，为临时佩戴者提供简易且舒适的体验



具体优势



卫生环保

- 系带和织物面料可用中性肥皂洗涤



高性能

- 认证的最大额定负载在100kg以上：产品认证在140kg以下



易用性

- 双色系带，区分正反面，便于安全带的正确佩戴
- NFC系统保证可追溯性

标准和认证



EN361
140 KG

EN358

应用行业

- 农业
- 建筑业
- 终饰工程/工艺
- 维修业
- 电力能源
- 林业

防范风险



坠落



enjoy safety.

编辑 07/06/2026
www.deltaplus.com.cn



HAR14

防坠落安全带

坠落防护

具备双色系带和定位腰带的安全带，为临时佩戴者提供简易且舒适的体验

详细信息 - 标准

技术细节

装备类型	含腰带的防坠落安全带
主要支架的组成	钢, 支撑材料/聚酯纤维
调节	2块可调节侧板
收紧方式	锁扣收紧
防坠落装置的挂点总数	2
固定挂点总数	2
扣环	手动环扣
防坠挂点	背部挂点, 胸部挂点
固定挂点	腰带
颜色	橙色
舒适因素	热成型背垫
尺寸	S/M/L, XL/XXL
自生产之日起的产品寿命 (年)	10
重量 (kg)	1,1
手动搭扣数量	3
防坠落锚点数量	2
Padding	Back, Belt
Sternal	1
Dorsal	1
Belt	1
防坠落作业类型	永久性建筑上的垂直移动, 工作定位, 生命线上的移动, 区域限制, 长距离垂直移动或倾斜表面上的移动, 短距离垂直移动或倾斜表面上的移动 (小于3米) , 垂直移动, 有限空间, 水平表面上的长距离水平移动, 垂直结构上的长距离水平移动, 短距离水平移动 (小于3米), 具有多重连接/断开功能的长距离移动



Fall protection

HAR14

FALL ARRESTER HARNESSES

Harness with two-coloured straps for intuitive fitting with positioning belt, for occasional use

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HARCLAM2P010 RSL [HAR14GT]	Orange	S/M/L	HAR14	3295249180355	13295249180352	10	1	14.042 kg	23.0 cm	32.0 cm	80.0 cm
HARCLAM2P010 R2X [HAR14XX]	Orange	XL/XXL	HAR14	3295249180362	13295249180369	10	1	14.5 kg	23.0 cm	80.0 cm	32.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height