

EX120

FALL ARRESTER HARNESSES

2-point positioning belt, limiting stress on the hips and providing increased comfort



Specific benefits



Comfort

·Thermoformed belt for optimal lumbar support and comfort



Hygiene

· Harnesses and textiles can be washed with neutral soap



Easy to use

· NFC system guarantees traceability

Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Mining

Certifications and norms



EN358 140 KG

Protects against risks









EX120

FALL ARRESTER HARNESSES

2-point positioning belt, limiting stress on the hips and providing increased comfort

Standards - Details

Technical details

| Type of equipment | Positioning belt | | | | | |
|---|--------------------------------------|--|--|--|--|--|
| Composition of the main support | Galvanized steel, Steel, Polyester | | | | | |
| Adjustment | Adjustment loop | | | | | |
| Lock | Manual system | | | | | |
| Number of total holding attachment points | 2 | | | | | |
| Holding point | Belt | | | | | |
| Color | Black-Orange | | | | | |
| Comfort elements | Thermoformed back closed with sponge | | | | | |
| Size | One size | | | | | |
| Lifespan from manufacturing (years) | 10 | | | | | |
| Weight (kg) | 0,400 | | | | | |
| Number of fall arrest anchorage points | 2 | | | | | |
| Padding | Back, Belt | | | | | |
| Belt | 1 | | | | | |
| Fall arrest work situations | Work positioning, Restraint | | | | | |







EX120

FALL ARRESTER HARNESSES

2-point positioning belt, limiting stress on the hips and providing increased comfort

| Logistics Information | | | | | | | | | | | |
|-----------------------|--------------|----------|-------------|---------------|----------------|----|---|--------|------------|------------|------------|
| Reference | Color | Size | Designation | EAN13 | Box Code | | Å | Weight | | | |
| EX120 | Black-Orange | One size | EX120 | 3295249180300 | 13295249180307 | 10 | 1 | 6.1 kg | 24.6 cm | 74.0 cm | 18.0 cm |

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height



