



Oprema protiv pada

AN245200ADD

UŽAD ZA AMORTIZACIJU PADA

Dvostruko uže s apsorberom energije na elastičnoj traci, lagano, pruža slobodu kretanja



Prednosti



Udobnost

- Elastično uže s kopčom za lako kretanje i sigurnost



Higijena

- Mogućnost pranja pojaseva i tkanine neutralnim sapunom



performanse

- Certificirano za maksimalno nazivno opterećenje veće od 100 kg: proizvod certificiran za 140 kg
- Traka s boljom otpornošću na habanje i certificiran za oštre rubove



Jednostavnost korištenja

- Automatski karabineri za sigurno zaključavanje i uštedu vremena
- NFC sustav koji jamči sljedivost

Područje upotrebe

- Javni radovi
- Pomoćni poslovi / Obrtništvo
- Kemijska industrija
- Automobilska
- Nafta i plin (vađenje)
- Rudarska industrija

Certifikati i standardi



EN355

CERTIFIKAT ZA HORIZONTALNO KORIŠTENJE - 140 KG
RFU 11.062
140 KG

Štiti od



Pad



Oprema protiv pada

AN245200ADD

UŽAD ZA AMORTIZACIJU PADA

Dvostruko uže s apsorberom energije na elastičnoj traci, lagano, pruža slobodu kretanja

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Elastični pojas, s petljama na svakom kraju
Sastav glavnog nosača	Čelik, Poliester
Duljina (m)	2
S priključkom	yes
Boja	Crna-Narančasta
Spona (na strani korisnika)	Samozaključavajuća kuka, čelik, otvor 19 mm
Završetak	2 petlje na naprscima
Spona (na strani konstrukcije)	2 kuke s automatskim zaključavanjem, čelične, s otvorom od 55 mm
Težina (kg) (kg)	1,67
Radne situacije za zaštitu od pada	Kretanje na horizontalnom sustavu učvršćenja (lifeline), Kratkotrajno vertikalno kretanje ili kretanje na kosoj podlozi (- 3m), Kratkotrajno horizontalno kretanje (- 3m), Dugotrajno kretanje s mogućnošću pomjeranja točke pričvršćivanja
Duljina (ft)	6.5616



Fall protection

AN245200ADD

ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard made of lightweight elastic webbing, providing freedom of movement

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ENAD4002DZ021 [AN245200ADD]	Black-Orange	1.40 → 2 m	AN245200ADD	3295249265137	13295249265134	5	1	9.9 kg	29.2 cm	18.2 cm	44.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height