Fall protection

LO047100

LANYARDS

1 metre braided rope lanyard with thimble loop ends for maximum versatility

Applications

- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Oil & Gas (Extraction)**
- **Mining**

Certifications and norms

CE CATEGORY III

EN354

Risk Protection

Fall

Fall protection

LO047100

LANYARDS

1 metre braided rope lanyard with thimble loop ends for maximum versatility

Standards - Details

Technical details

Type of equipment	Braided rope lanyard
Composition of the main support	Polyamide
Length (m)	1
Rope diameter (mm)	10,5
Color	White
Ending	2 sewn thimble loops
Lifespan from manufacturing (years)	10
Weight (kg)	0,116
Fall arrest work situations	Restraint
Lenght (ft)	3.2808

LO047100

LANYARDS

1 metre braided rope lanyard with thimble loop ends for maximum versatility

Fall protection

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
ENAS300100011 [LO047100]	White	1 m	LO047100	3660348006262	13660348006269	15	1	2.96 kg	22.0 cm	31.0 cm	16.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height