



LO007150

UŽAD

Uže od s cilindričnim omčama za maksimalnu svestranost

Oprema protiv pada

Područje upotrebe

- Zgrada
- Pomoćni poslovi / Obrtništvo
- Održavanje
- Nafta i plin (vađenje)
- Rudarska industrija
- Energija



Certifikati i standardi



EN354

Štiti od



Pad



LO007150

UŽAD

Uže od s cilindričnim omčama za maksimalnu svestranost

Oprema protiv pada

Pojedinosti - Standardi

Tehnički detalji

Vrsta opreme	Upleteno uže
Sastav glavnog nosača	Poliamid
Duljina (m)	1,5
Promjer užeta (mm)	12
Boja	Bijela
Završetak	Našiven kraj s petljom na naprsku
Težina (kg) (kg)	0,198
Radne situacije za zaštitu od pada	Zadržavanje
Duljina (ft)	4.9213








LO007150

LANYARDS

Fall protection

Lanyard with thimble loop ends for maximum versatility

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN01Z51011Z5 [LO007150]	White	1.50 m	LO007150	3660348006101	0	15	1	3.8 kg	28.0 cm	44.0 cm	16.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height