



LO007150CD

LONGES

Protection antichute

Longe d'1,5 mètres avec connecteur grande ouverture, pour une polyvalence maximale et une connexion sur tout type de structure



Applications

- Bâtiment
- Second œuvre / Artisans
- Maintenance
- Pétrole & gaz (extraction)
- Industrie minière
- Énergies

Certifications et normes



EN354

Protège contre les risques



Chute



LO007150CD

LONGES

Protection antichute

Longe d'1,5 mètres avec connecteur grande ouverture, pour une polyvalence maximale et une connexion sur tout type de structure

Détails - Normes

Détails techniques

Type d'équipement	Corde toronnée
Composition du support principal	Acier, Polyamide
Longueur (m)	1,5
Diamètre de corde (mm)	12
Avec connecteur	oui
Couleur	Blanc
Connecteur (côté utilisateur)	Mousqueton à vis, acier, ouverture 18 mm
Terminaison	Extrémité épissurée avec boucle cossée
Connecteur (côté structure)	1 crochet à verrouillage automatique, acier, ouverture 55 mm
Poids (kg)	0,850
Situations de travail antichute	Retenue
Longueur (ft)	4.9213



LO007150CD

LANYARDS

Fall protection

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
LIN01Z51041Z5 [LO007150CD]	White	1.50 m	LO007150CD	3660348006347	13660348006344	15	1	14.3 kg	29.0 cm	44.2 cm	24.4 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height