



# LO007150CD

## LONGES

Protection antichute

Longe d'1,5 mètres avec connecteur grande ouverture, pour une polyvalence maximale et une connexion sur tout type de structure

### Applications

- Bâtiment
- Second œuvre / Artisans
- Maintenance
- Pétrole & gaz (extraction)
- Industrie minière
- Énergies



### Certifications et normes



EN354

### Protège contre les risques



Chute



# LO007150CD

## LONGES

Longe d'1,5 mètres avec connecteur grande ouverture, pour une polyvalence maximale et une connexion sur tout type de structure

Protection antichute

### Détails - Normes

### Détails techniques

Type d'équipement	Corde toronnée
Composition du support principal	Acier, Polyamide
Longueur (m)	1,5
Diamètre de corde (mm)	12
Avec connecteur	oui
Couleur	Blanc
Connecteur (côté utilisateur)	Mousqueton à vis, acier, ouverture 18 mm
Terminaison	Extrémité épissurée avec boucle cossée
Connecteur (côté structure)	1 crochet à verrouillage automatique, acier, ouverture 55 mm
Poids (kg)	0,850
Situations de travail antichute	Retenue
Longueur (ft)	4.9213



# LO007150CD

## LANYARDS

Fall protection

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN01Z51041Z5 [LO007150CD]	White	1.50 m	LO007150CD	3660348006347	13660348006344	15	1	14.3 kg	29.0 cm	44.2 cm	24.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height