



Proteção anti-quedas

# L0007150CD

CABOS

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura



## Área de utilização

- Edificação
- Segunda obra / Artesão
- Manutenção
- Petróleo e gás (extração)
- Indústria mineira
- Energia

## Certificações e normas



EN354

## Protege contra



Queda



# LO007150CD

## CABOS

Proteção anti-quedas

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura

### Detalhes - Normas

### Detalhes técnicos

Tipo de equipamento	Corda torcida
Composição do suporte principal	Aço, Poliamida
Comprimento (m)	1,5
Diâmetro do cabo (mm)	12
Com conector	sim
Cor	Branco
Conector (lado do utilizador)	Mosquetão com parafuso, aço, abertura 18 mm
Acabamento	Extremidade de junção com argola revestida
Conector (lado da estrutura)	1 gancho com bloqueio automático, aço, abertura 55 mm
Peso (Kg) (kg)	0,850
Situações de trabalho antiqueda	Resgate
Comprimento (ft)	4.9213



# LO007150CD

## LANYARDS

Fall protection

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

### Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN01Z51041Z5 [LO007150CD]	White	1.50 m	LO007150CD	3660348006347	13660348006344	15	1	14.3 kg	29.0 cm	44.2 cm	24.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height