



Proteção anti-quedas

LO007150CD

CABOS

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura



Aplicação

- Edifício
- Acabamento / artesãos
- Manutenção
- Petróleo e gás (extração)
- Indústria de mineração
- Energia

Certificações e normas



EN354

Proteção contra riscos



Queda



Proteção anti-quedas

LO007150CD

CABOS

Correia de 1,5 metros com conector de grande abertura, para a máxima versatilidade e conexão em qualquer tipo de estrutura

Detalhes - Normas

Detalhes técnicos

Tipo de equipamento	Corda torcida
Composição do suporte principal	Aço, Poliamida
Comprimento (m)	1,5
Diâmetro do cabo (mm)	12
Com conector	sim
Cor	Branco
Conector (lado do utilizador)	Mosquetão com parafuso, aço, abertura 18 mm
Acabamento	Extremidade de junção com argola revestida
Conector (lado da estrutura)	1 gancho com bloqueio automático, aço, abertura 55 mm
Peso (Kg) (kg)	0,850
Situações de prevenção de quedas	Resgate
Comprimento (ft)	4.9213



LO007150CD

LANYARDS

Fall protection

1.5 metre lanyard with large opening connector, for maximum versatility and connection to any type of structure

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN01Z51041Z5 [LO007150CD]	White	1.50 m	LO007150CD	3660348006347	13660348006344	15	1	14.3 kg	29.0 cm	44.2 cm	24.4 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height