



HAR23

FALL ARRESTER HARNESSES

Fall protection



Applications

- Agriculture
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Oil & Gas (extraction)

Certifications and norms



EN361

Protects against risks



Fall



HAR23

FALL ARRESTER HARNESSES

Fall protection

Standards - Details

Technical details

Type of equipment	Fall arrester harness
Composition of the main support	Polyester
Fastening	Buckles
Buckles	Manual loop
Anti-fall point	Dorsal, Sternal
Color	Black-Orange
Benefits element	Fall indicator
Lifespan from manufacturing (years)	10
Number of fall arrest anchorage points	2
Sternal	1
Dorsal	1
Fall arrest work situations	Vertical movement on a permanent structure, Movement on lifeline, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection



HAR23

FALL ARRESTER HARNESSES

Fall protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
HAROLDM2003B KSL [HAR23GT]	Black-Orange	S/M/L	HAR23	3295249182687	13295249182684	5	1	7.954 kg	29.6 cm	44.6 cm	24.2 cm
HAROLDM2003B K2X [HAR23XX]	Black-Orange	XL/XXL	HAR23	3295249193584	13295249193581	5	1	7.9 kg	27.0 cm	43.5 cm	22.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height