



Protezione anticaduta

EX118

SISTEMI DI POSIZIONAMENTO

Cordino di posizionamento robusto ed efficiente con guaina protettiva per un uso intensivo e una lunga durata.



Campi di utilizzo

- Agricoltura
- Edificio
- Finitura / artigiani
- Manutenzione
- Industria chimica
- Petrolio e gas minerario (estrazione)

Certificazioni e norme



EN358

Protegge contro i rischi



Caduta



Protezione anticaduta

EX118

SISTEMI DI POSIZIONAMENTO

Cordino di posizionamento robusto ed efficiente con guaina protettiva per un uso intensivo e una lunga durata.

Dettagli - Norme

Dettagli tecnici

Tipo di attrezzatura	Sistema di posizionamento sul lavoro
Composizione del supporto principale	Poliestere
Diametro della fune (mm)	14
Con connettore	si
Colore	Arancio
Vantaggio supplementare	Disponibile in 2 m e 4 m
Connettore (lato struttura)	Connettore a chiusura automatica, acciaio, apertura 18 mm
Situazioni di lavoro	Posizionamento al posto di lavoro, Trattenuta



Fall protection

EX118

WORK POSITIONING SYSTEMS

Robust and efficient positioning lanyard with a protective sheath for intensive use and a longer service life

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ENAS000200021 [EX118200A]	Orange	0.20 → 2 m	EX118	3295249176785	13295249176782	5	1	4.85 kg	27.0 cm	43.5 cm	12.0 cm
ENAS000200022 [EX118400A]	Orange	0.20 → 4 m	EX118	3295249176792	13295249176799	5	1	7.54 kg	28.0 cm	44.0 cm	22.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height