



Proteção anti-quedas

EX030200

SISTEMAS DE MANUTENÇÃO NO TRABALHO

Corda de posicionamento com 2 metros, permitindo um ajuste fluido e ideal, equipado com um sistema de bloqueio opcional



Área de utilização

- Agricultura
- Edificação
- Segunda obra / Artesão
- Manutenção
- Indústria química
- Indústria mineira

Certificações e normas



EN358

Protege contra



Queda



Proteção anti-quedas

EX030200

SISTEMAS DE MANUTENÇÃO NO TRABALHO

Corda de posicionamento com 2 metros, permitindo um ajuste fluido e ideal, equipado com um sistema de bloqueio opcional

Detalhes - Normas

Detalhes técnicos

Tipo de equipamento	Sistema de retenção em trabalho
Composição do suporte principal	Poliamida
Comprimento máximo (m)	2
Comprimento mínimo (m)	0,20
Comprimento (m)	2
Diâmetro do cabo (mm)	10,5
Com conector	sim
Cor	Branco
Conector (lado do utilizador)	Mosquetão com parafuso, aço, abertura 18 mm
Conector (lado da estrutura)	Gancho pequeno, em aço, abertura de 21 mm
Situações de trabalho antiqueda	Posicionamento no posto de trabalho, Resgate
Comprimento (ft)	6.5616



Fall protection

EX030200

WORK POSITIONING SYSTEMS

2 metre positioning lanyard, allowing for smooth and optimal adjustment, with optional locking system

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
ENAS0002AC011 [EX030200]	White	0.20 → 2 m	EX030200	3660348005166	13660348005163	5	1	6.35 kg	27.0 cm	47.0 cm	16.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height