Protezione anticaduta

AN30020

ANTICADUTA SU CORDA

Supporto di fissaggio da 20 metri in corda trefolata da 14 mm da utilizzare con il dispositivo anticaduta scorrevole AN065 per spostamenti lunghi

Campi di utilizzo

- **Finitura / artigiani**
- **Industria chimica**
- **Automotive**
- **Petrolio e gas minerario (estrazione)**
- **Petrolchimico**
- **Energie**

Certificazioni e norme

CE CATEGORIA III

EN353-2

Protegge contro i rischi

Caduta

DELTAPLUS

enjoy safety

Modifica 07/10/2026

www.deltaplus.eu

Protezione anticaduta

AN30020

ANTICADUTA SU CORDA

Supporto di fissaggio da 20 metri in corda trefolata da 14 mm da utilizzare con il dispositivo anticaduta scorrevole AN065 per spostamenti lunghi

Dettagli - Norme

Dettagli tecnici

Tipo di attrezzatura	Corda trefolata
Composizione del supporto principale	Poliammide
Lunghezza (m)	20
Diametro della fune (mm)	356.3
Colore	Bianco
Terminazione	Estremità impiombata con occhiello a ditale
Peso (kg) (kg)	3
Situazioni di lavoro	Grande spostamento verticale o su piano inclinato
Lunghezza (ft)	65.616

Fall protection

AN30020

FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
LIN1020101020 [AN30020]	White	20 m	AN30020	3295249237424	13295249237421	5	1	15.98 kg	23.0 cm	80.0 cm	32.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height