



Fall protection

## EX021

### WORK POSITIONING SYSTEMS

Positioning lanyard for simple and effective adjustment, suitable for all budgets



### Applications

- Building
- Finishing works / Craftsmanship
- Maintenance
- Storage

### Certifications and norms



EN358



Fall protection

# EX021

## WORK POSITIONING SYSTEMS

Positioning lanyard for simple and effective adjustment, suitable for all budgets

### Standards - Details

### Technical details

|                                 |                                                    |
|---------------------------------|----------------------------------------------------|
| Composition of the main support | Polyamide                                          |
| Max. length                     | 2 m                                                |
| Min. length                     | 1,10 m                                             |
| Length                          | 2 m                                                |
| Adjustment                      | Adjustable by means of a reducing loop on the rope |
| Rope diameter                   | 12 mm                                              |
| Color                           | White                                              |
| SIZE                            | 1.10 to 2 m                                        |
| Weight                          | 0,306 kg                                           |
| Fall arrest work situations     | Work positioning, Restraint                        |



Absturzsicherung

# EX021

## WORK POSITIONING SYSTEMS

Preisgünstiges Verbindungsmittel für die Positionierung, das eine einfache und effektive Anpassung ermöglicht

### Logistische Informationen

| Referenz | Farbe | Größe        | Bezeichnung | EAN 13        | Karton-Code    | PCB | SPCB | Gewicht |
|----------|-------|--------------|-------------|---------------|----------------|-----|------|---------|
| EX021    | Weiß  | 1,10 bis 2 m | EX021       | 3660348005098 | 13660348005095 | 15  | 1    | 5.7 kg  |