Protezione anticaduta

AM022

CONNETTORI

Il moschettone autobloccante riduce il rischio di manipolazioni errate ed è dotato di un'ampia apertura per facilitare l'ancoraggio

Campi di utilizzo

- **Agricoltura**
- **Edificio**
- **Finitura / artigiani**
- **Manutenzione**
- **Industria chimica**
- **Petrolio e gas minerario (estrazione)**

Certificazioni e norme

CE CATEGORIA III

EN 362
CLASSE A

Protegge contro i rischi

Caduta

DELTAPLUS

enjoy safety

Modifica 13/11/2026
www.deltaplus.eu

Protezione anticaduta

AM022

CONNETTORI

Il moschettone autobloccante riduce il rischio di manipolazioni errate ed è dotato di un'ampia apertura per facilitare l'ancoraggio

Dettagli - Norme

Dettagli tecnici

Tipo di attrezzatura	Moschettone con chiusura automatica
Composizione del supporto principale	Acciaio
Lunghezza (m)	0,215
Lunghezza (inch)	8.3316
Width (inch)	4.3231
Larghezza (mm)	110
Apertura (mm)	51
Opening (inch)	2.0044
bloccaggio	Sistema automatico
Colore	Acciaio
Durata di vita a partire dalla data di fabbricazione (anni)	20
Peso (kg) (kg)	1
Tipo di imballaggio	Sacchetto da 2
Lunghezza (ft)	0.7054
Resistenza dell'asse lungo (kN)	25

Fall protection

AM022

CONNECTORS

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
CON231031 [AM022X2V2]	Steel	One size	AM022	3295249284794	13295249284791	10	1	10.39 kg	26.0 cm	32.5 cm	19.5 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height