Fall protection

AM022

CONNECTORS

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

Applications

- **Agriculture**
- **Building**
- **Finishing Works/Craftsmanship**
- **Maintenance**
- **Chemical Industry**
- **Oil & Gas (Extraction)**

Certifications and norms

CE CATEGORY III

EN 362
CLASS A

Risk Protection

Fall

Fall protection

AM022

CONNECTORS

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

Standards - Details

Technical details

Type of equipment	Automatic Lock Carabiners
Composition of the main support	Steel
Length (m)	0,215
Lenght (inch)	8.3316
Width (inch)	4.3231
Width (mm)	110
Gate opening (mm)	51
Opening (inch)	2.0044
Lock	Automatic system
Color	Steel
Lifespan from manufacturing (years)	20
Weight (kg)	1
Type of conditioning	Bag of 2
Lenght (ft)	0.7054
Major axis strength (kN)	25

Fall protection

AM022

CONNECTORS

Automatic lock karabiner that reduces the risk of mishandling and has a large opening for easy anchoring

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
CON231031 [AM022X2V2]	Steel	One size	AM022	3295249284794	13295249284791	10	1	10.39 kg	26.0 cm	32.5 cm	19.5 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height