



Hand protection

VE905 V2

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products



Specific benefits



Durability

- High-quality coating extends the life of the glove and provides excellent protection for the hand



Easy to use

- Chlorinated interior for easy glove donning



Performance

- Lightweight for optimal dexterity



Compatibility

- Food Safe

Certifications and norms



EN 388
1 1 0 0 X



EN ISO 374-1
TYPE B
KPT



EN ISO 374-5



EN 421:2010



Risk Protection



Biological



Chemical



Particules

Applications

- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services
- Maintenance



Hand protection

VE905 V2

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

Standards - Details



EN388:2016+A1:2018

1 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
0 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

K
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Coating Level	Full Coating
Coating Material	Latex
Coating Finish	Smooth, Grip-textured
Number of Coatings	Single Coated
Inner finition	Powder free
Thickness (mm)	0.40
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach, Vendor pack
Color	Natural
Size	6, 7, 8, 9, 10
Type of conditioning	in individual bag

Packaging

Sale unit: in individual bag
144 pairs /box



Hand protection

VE905 V2

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-32.4
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-4.4
Formaldehyde 37%	T	50-00-0	6	480	-17.5



Safety gloves

VE905 V2

WORK WITH OCCASIONAL CHEMICAL RESISTANCE

Chemical glove ideal for handling mildly aggressive products

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWE905C102NA07 [VE905V2NA06]	Natural	6/7	VE905 V2	3295249304980	13295249304987	144	12	4.6 kg	25.0 cm	42.0 cm	29.0 cm
GWE905C102NA08 [VE905V2NA07]	Natural	7/8	VE905 V2	3295249304997	13295249304994	144	12	4.8 kg	25.0 cm	42.0 cm	29.0 cm
GWE905C102NA09 [VE905V2NA08]	Natural	8/9	VE905 V2	3295249305000	13295249305007	144	12	4.96 kg	25.0 cm	42.0 cm	29.0 cm
GWE905C102NA10 [VE905V2NA09]	Natural	9/10	VE905 V2	3295249305017	13295249305014	144	12	5.09 kg	25.0 cm	42.0 cm	29.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height