Hand protection

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Certifications and norms

CE CATEGORY III

EN ISO 374-1
TYPE B
JKT

EN ISO 374-5
VIRUS

EN ISO 374-5

Risk Protection

Biological

Chemical

Particules

Specific benefits

Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves

Hygiene

· Nitrile means no risk of allergies for users

Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Compatibility

· Ambidextrous Glove

Applications

- **Agriculture**
- **Public Works**
- **Building**
- **Finishing Works/Craftsmanship**
- **Heavy Industry**
- **Maintenance**

Hand protection

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Standards - Details

EN 374
J
K
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Coating Level	Full Coating
Coating Material	Nitrile
Coating Finish	Grip-textured
Number of Coatings	Single Coated
Inner finition	Powder free
Thickness (mm)	0.17
Arm level protection	Standard cuff (< 290mm)
Benefits element	Touch sensitive
Color	Black
Size	6, 7, 8, 9, 10
Lifespan from manufacturing (years)	5
Type of conditioning	Box of 50

Packaging

Sale unit: Box of 50
10 pairs /box

Hand protection

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
n-Heptane	J	CAS 142-82-5	4	120	47,5%
Sodium hydroxide 40%	K	CAS 1310-73-2	6	480	-11,1%
Formaldehyde 37%	T	CAS 50-00-0	5	240	36,3%

Safety gloves

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GW1600CZ01BK07 [V1600B5006]	Black	6/7	V1600	3295249305864	13295249305861	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
GW1600CZ01BK08 [V1600B5007]	Black	7/8	V1600	3295249305871	13295249305878	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
GW1600CZ01BK09 [V1600B5008]	Black	8/9	V1600	3295249305888	13295249305885	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
GW1600CZ01BK10 [V1600B5009]	Black	9/10	V1600	3295249305895	13295249305892	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
GW1600CZ01BK11 [V1600B5010]	Black	10/11	V1600	3295249305901	13295249305908	10	1	5.0 kg	0.335 m	0.272 m	0.254 m

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height