



Hand protection

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.



Specific benefits



Easy to use

· Tactile, so you can use your tablet or smartphone without removing your gloves



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle



Compatibility

· Food Safe
· Ambidextrous Glove

Applications

- Agriculture
- Public Works
- Building
- Finishing Works/Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food Services

Certifications and norms



EN ISO 374-1
TYPE B
JKT



EN ISO 374-5



EN ISO 374-5



Risk Protection



Biological



Chemical



Particules



Hand protection

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Standards - Details



EN 374

J
K
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove unsupported powder free
Tight glove kind	Unsupported
Inner finition	Powder free
Coating material and finition	Patterned Nitrile
Coating Level	Full Coating
Number of Coatings	Single Coated
Thickness (mm)	0.17
Arm level protection	Standard cuff (< 290mm)
Benefits element	Touch sensitive
Color	Black
Size	6, 7, 8, 9, 10
Lifespan from manufacturing (years)	5
Type of conditioning	Box of 50



Hand protection

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
n-Heptane	J	CAS 142-82-5	4	120	47,5%
Sodium hydroxide 40%	K	CAS 1310-73-2	6	480	-11,1%
Formaldehyde 37%	T	CAS 50-00-0	5	240	36,3%








Safety gloves

V1600

DISPOSABLE

Disposable nitrile chemical tactile glove with excellent grip in oily environments thanks to its embossed diamond texture.

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
V1600B5006	Black	SM	V1600	3295249305864	13295249305861	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5007	Black	MD	V1600	3295249305871	13295249305878	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5008	Black	LG	V1600	3295249305888	13295249305885	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5009	Black	XL	V1600	3295249305895	13295249305892	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm
V1600B5010	Black	2X	V1600	3295249305901	13295249305908	10	1	5.0 kg	33.5 cm	27.2 cm	25.4 cm



Multiple Sales



Minimum Order Quantity



Box Width



Box Depth



Box Height