



SIMBA S3 SRC Black

UTILITIES

High-cut shoe with contact heat resistant sole (HRO: 300°C for 60 seconds).

Foot protection



Specific benefits



Comfort

- Dual-density outsole



Performance

- Sole designed to withstand contact heat up to 300°C
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry
- Maintenance

Certifications and norms



EN ISO 20345:2022
S3 HRO WPA FO A E SR

Protects against risks



Antistatic



Heat



Shock



Slip



SIMBA S3 SRC Black

UTILITIES

High-cut shoe with contact heat resistant sole (HRO: 300°C for 60 seconds).

Foot protection

Standards - Details

Technical details

Shoe type	High-cut shoe
Outsole material	PU, Nitrile rubber
Anti-perforation insert	Stainless steel
Upper material	Leather
Upper finition material	Split Leather
Safety toe-cap	Stainless steel
Lining material	Textile
Lining material finition	Breathable
Footbed material	Textile
Footbed characteristic	Removable
Outsole finition	Injected
Weight (g per shoe)	650
Size range	36 → 46



Safety footwear

SIMBA S3 SRC


UTILITIES

High-cut shoe with contact heat resistant sole (HRO: 300°C for 60 seconds).

Logistics information


Reference	Colour	Size	Designation	EAN13	Box code			Weight			
-----------	--------	------	-------------	-------	----------	---	---	--------	---	---	---

 Multiple sales

 Minimum sales

 Box Width

 Box Depth

 Box Height