Hand protection

# FCN29

## WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments




## Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Temporary work**
- **Storage**

## Certifications and norms

CE CATEGORY II

**EN 388**
2 1 2 1 X

## Protects against risks

Wearing

Hand protection

# FCN29

## WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments

## Standards - Details

**EN388:2016+A1:2018**
2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

## Technical details

| | |
|---|---|
| Glove kind | Mechanical glove |
| Glove family | Cut and sewn leather palm / leather back |
| Mechanical glove kind | Cut and sewn |
| Thickness (mm) | 0,9 -> 1,1 |
| Cuff caracteristic | Sewn open cuff with elastic |
| Color | Natural |
| Size | 8, 9, 10, 11 |
| Type of packaging | Bulk bag of 12 |

## Packaging

Sale unit: Bulk bag of 12
120 pairs /box

Safety gloves

# FCN29

## WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments

## Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| GLFCN2UD01NA10 [ FCN2910 ] | Natural | 10 | FCN29 | 3295249028886 | 13295249028883 | 120 | 12 | 17.6 kg | 28.6 cm | 63.0 cm | 30.8 cm |
| GLFCN2UD01NA11 [ FCN2911 ] | Natural | 11 | FCN29 | 3295249028893 | 13295249028890 | 120 | 12 | 18.5 kg | 27.8 cm | 63.6 cm | 32.0 cm |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height