



Hand protection

FCN29

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments



Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Temporary work
- Storage

Certifications and norms



Protects against risks



Wearing



Hand protection

FCN29

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments

Standards - Details



EN388:2016+A1:2018

2 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn leather palm / leather back
Mechanical glove kind	Cut and sewn
Thickness (mm)	0,9 -> 1,1
Cuff characteristic	Sewn open cuff with elastic
Color	Natural
Size	8, 9, 10, 11
Type of packaging	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
120 pairs /box








Safety gloves

FCN29

WORKS IN DRY ENVIRONMENT

Mechanical leather glove, ideal for multipurpose work in dry environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GLFCN2UD01NA 10 [FCN2910]	Natural	10	FCN29	3295249028886	13295249028883	120	12	17.6 kg	28.6 cm	63.0 cm	30.8 cm
GLFCN2UD01NA 11 [FCN2911]	Natural	11	FCN29	3295249028893	13295249028890	120	12	18.5 kg	27.8 cm	63.6 cm	32.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height