



Hand protection

NI175

WORKS IN OILY ENVIRONMENT

Fully coated, waterproof, mechanical glove, offering back of hand protection



Specific benefits



Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



Hygiene

· Nitrile means no risk of allergies for users



Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Certifications and norms



EN 388
3 1 1 1 X

Applications

- Public works
- Building
- Automotive
- Mining
- Temporary work
- Public services

Protects against risks



Wearing



Hand protection

NI175

WORKS IN OILY ENVIRONMENT

Fully coated, waterproof, mechanical glove, offering back of hand protection

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Cut and sewn textile coated glove
Mechanical glove kind	Cut and sewn
Weft yarn	Cotton
Coating level	Fully coated except wrist
Coating material	Nitrile
Coating finition	Grip-textured
Number of layer	Single layer
Lining material	Cotton Textile
Cuff characteristic	Large safety cuff
Benefits element	Reach
Color	Blue
Size	9, 10, 11
Type of packaging	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
120 pairs /box



Safety gloves

NI175

WORKS IN OILY ENVIRONMENT

Fully coated, waterproof, mechanical glove, offering back of hand protection

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GTN175UD01BL09 [NI17509]	Blue	09	NI175	3295249044008	13295249044005	120	12	15.9 kg	26.6 cm	63.8 cm	39.0 cm
GTN175UD01BL10 [NI17510]	Blue	10	NI175	3295249034382	13295249034389	120	12	17.4 kg	26.8 cm	70.6 cm	38.8 cm
GTN175UD01BL11 [NI17511]	Blue	11	NI175	3295249046996	13295249046993	120	12	18.6 kg	29.2 cm	70.4 cm	37.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height