



Hand protection

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work



Specific benefits



Easy to use

- Perfect fit so that users do not feel any discomfort in the wrist area with prolonged use
- Hook-and-loop fastener for better wrist support



Hygiene

- Reduces perspiration thanks to its excellent breathability



Performance

- Flexible reinforcements for added protection against impact and pinching
- Lightweight for optimal dexterity

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Mining

Certifications and norms



Protects against risks



Shock



Cutting



Wearing



Hand protection

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
2 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
B [A-F] CUT RESISTANCE ISO 13997
P [P] IMPACT RESISTANCE (OPTIONAL)

Technical details

Glove kind	Special glove
Glove family	Impact-resistant glove
Mechanical glove kind	Cut and sewn
Special gloves kind	Impact
Dots material	PVC Dots
Cuff characteristic	Velcro cuff
Benefits element	Reach, Vendor pack, Kevlar stitching
Color	Yellow-Grey-Black
Size	8, 9, 10, 11, 12
Type of packaging	Header card

Packaging

Sale unit: Header card

60 pairs /box








Safety gloves

EOS VV900JA

WORKS IN DRY ENVIRONMENT

Level B cut-resistant and shock-resistant glove for multipurpose work

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GOI900KH01YE1 2 [VV900JA12]	Yellow-Grey-Black	12	EOS VV900JA	3295249196004	13295249196001	60	12	14.8 kg	33.6 cm	68.8 cm	30.6 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height