Hand protection

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry



Specific benefits

Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand

Hygiene

· Reduces perspiration thanks to its excellent breathability

Performance

· Extra thick and long for extra protection of the entire arm

Certifications and norms

CE CATEGORY III

EN 388
4 1 2 1 X

EN ISO 374-1
TYPE A
AKLMNPT

EN ISO 374-5

EN 407
X 1 X X X X

Applications

- **Agriculture**
- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Manufacturing/Transformation**
- **Accomodation & Food services**

Protects against risks

Heat | Biological | Wearing | Chemical

DELTAPLUS

enjoy safety.

Edit 18/11/2026
www.deltaplus.eu

Hand protection

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

EN 374
A : MÉTHANOL
K
L
M
N
P
T

EN 407
X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating level	Fully coated
Coating material	Latex
Coating finition	Smooth
Number of layer	Single layer
Lining material	Cotton Textile
Thickness (mm)	1,25
Arm level protection	Forearm cuff (< 400mm)
Color	Blue
Size	7, 8, 9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box

Hand protection

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	2	30	17.9%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-5.8%
Acide Sulfurique 96%	L	7664-93-9	4	120	35%
Nitric Acid 65%	M	7697-37-2	6	480	5.5%
Acetic Acid 99%	N	64-19-7	3	60	30.9%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-2.8%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	12.1%



Safety gloves

VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWV920CH01BL09 [VE920BL08]	Blue	8/9	VENIZETTE VE920	3295249008758	13295249008755	120	12	20.0 kg	36.0 cm	71.0 cm	35.0 cm
GWV920CH01BL10 [VE920BL09]	Blue	9/10	VENIZETTE VE920	3295249008765	13295249008762	120	12	20.9 kg	36.0 cm	71.0 cm	35.0 cm
GWV920CH01BL11 [VE920BL10]	Blue	10/11	VENIZETTE VE920	3295249008772	13295249008779	120	12	21.7 kg	36.0 cm	71.0 cm	35.0 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height