



Hand protection

# VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry



## Specific benefits



### Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand



### Hygiene

· Reduces perspiration thanks to its excellent breathability



### Performance

· Extra thick and long for extra protection of the entire arm

## Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Accommodation & Food services

## Certifications and norms



## Protects against risks



Heat



Biological



Wearing



Chemical



Hand protection

# VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

## Standards - Details



### EN388:2016+A1:2018

4 [0-4] ABRASION RESISTANCE  
1 [0-5] CUT RESISTANCE  
2 [0-4] TEAR RESISTANCE  
1 [0-4] PIERCE RESISTANCE  
X [A-F] CUT RESISTANCE ISO 13997



### EN 374

A : MÉTHANOL  
K  
L  
M  
N  
P  
T



### EN 407

X [0-4] BURNING BEHAVIOUR  
1 [0-4] CONTACT HEAT RESISTANCE  
X [0-4] CONVECTIVE HEAT  
X [0-4] RADIANT HEAT RESISTANCE  
X [0-4] SMALL DROP MOLTEN METAL  
X [0-4] LARGE QUANTITY MOLTEN METAL

## Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating level	Fully coated
Coating material	Latex
Coating finition	Smooth
Number of layer	Single layer
Lining material	Cotton Textile
Thickness (mm)	1,25
Arm level protection	Forearm cuff (< 400mm)
Color	Blue
Size	7, 8, 9, 10, 11
Type of packaging	in individual bag

## Packaging

Sale unit: in individual bag  
120 pairs /box



Hand protection

# VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

## Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	2	30	17.9%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-5.8%
Acide Sulfurique 96%	L	7664-93-9	4	120	35%
Nitric Acid 65%	M	7697-37-2	6	480	5.5%
Acetic Acid 99%	N	64-19-7	3	60	30.9%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-2.8%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	12.1%








Safety gloves

# VENIZETTE VE920

WORK WITH PROLONGED CHEMICAL RESISTANCE

Multi-standard chemical glove for comfort and durability, ideal for the food industry

## Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWV920CH01BL09 [ VE920BL08 ]	Blue	8/9	VENIZETTE VE920	3295249008758	13295249008755	120	12	20.0 kg	36.0 cm	71.0 cm	35.0 cm
GWV920CH01BL10 [ VE920BL09 ]	Blue	9/10	VENIZETTE VE920	3295249008765	13295249008762	120	12	20.9 kg	36.0 cm	71.0 cm	35.0 cm
GWV920CH01BL11 [ VE920BL10 ]	Blue	10/11	VENIZETTE VE920	3295249008772	13295249008779	120	12	21.7 kg	36.0 cm	71.0 cm	35.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height