Hand protection

VENICUTD04

LONG-LASTING CUT WORK

Level D cut-resistant glove, waterproof up to the wrist, combining comfort and finesse of work, ideal in oily or aqueous environments



Certifications and norms

CE CATEGORY II

EN 388
3 X 4 3 D

ANSI/ISEA 105-2024
A4 X X

Protects against risks

Cutting

Wearing

Perforation

Specific benefits

Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand

· Longer service life thanks to a double coating for excellent abrasion resistance

Hygiene

· Nitrile means no risk of allergies for users

Performance

· The nitrile coating gives people working in oily/greasy environments an excellent grip on the objects they handle

Applications

- **Agriculture**
- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Chemical industry**

Hand protection

VENICUTD04

LONG-LASTING CUT WORK

Level D cut-resistant glove, waterproof up to the wrist, combining comfort and finesse of work, ideal in oily or aqueous environments

Standards - Details

EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
3 [0-4] PIERCE RESISTANCE
D [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	DELTAnocut (Mix of Polyethylene, Spandex, Polyamide & Carbon)
Coating level	Fully coated except wrist
Coating material	Nitrile
Coating finition	Grip-textured, Double Layer
Number of layer	Double Layer
Gauge	13
Cuff caracteristic	Long cuff
Cuff length (mm)	100
Benefits element	Reach, Vendor pack, Long cuff (>290mm)
Color	Black
Size	8, 9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
60 pairs /box

Safety gloves

VENICUTD04

LONG-LASTING CUT WORK

Level D cut-resistant glove, waterproof up to the wrist, combining comfort and finesse of work, ideal in oily or aqueous environments

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GK0404K101BK08 [VECUTD04NO08]	Black	08	VENICUTD04	3295249211080	13295249211087	60	12	6.7 kg	31.4 cm	68.2 cm	17.6 cm
GK0404K101BK09 [VECUTD04NO09]	Black	09	VENICUTD04	3295249211097	13295249211094	60	12	7.0 kg	30.0 cm	68.0 cm	17.0 cm
GK0404K101BK10 [VECUTD04NO10]	Black	10	VENICUTD04	3295249211103	13295249211100	60	12	6.4 kg	30.0 cm	68.0 cm	17.0 cm
GK0404K101BK11 [VECUTD04NO11]	Black	11	VENICUTD04	3295249211110	13295249211117	60	12	8.1 kg	32.2 cm	69.4 cm	18.2 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height