Hand protection

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments

Certifications and norms

CE CATEGORY II

EN 388
3 1 2 1 X

Protects against risks

Wearing

Specific benefits

Performance

· The anti-slip properties of the polyurethane coating provides good grip.

Applications

- **Public works**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Automotive**
- **Temporary work**
- **Water and waste treatment**

Hand protection

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments

Standards - Details

EN388:2016+A1:2018
3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Polyester
Coating level	Palm coated
Coating material	PU
Coating finition	Smooth
Number of layer	Single layer
Gauge	13
Benefits element	Reach
Color	White
Size	6, 7, 8, 9, 10, 11
Type of packaging	Bulk bag of 12

Packaging

Sale unit: Bulk bag of 12
240 pairs /box

Safety gloves

VE702P

WORKS IN DRY ENVIRONMENT

Mechanical glove ideal for work in dry environments

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
GKE702UD01WH06 [VE702P06]	White	06	VE702P	3295249128784	13295249128781	240	12	6.67 kg	28.8 cm	44.6 cm	47.6 cm
GKE702UD01WH07 [VE702P07]	White	07	VE702P	3295249128791	13295249128798	240	12	7.014 kg	28.8 cm	43.4 cm	48.6 cm
GKE702UD01WH08 [VE702P08]	White	08	VE702P	3295249128807	13295249128804	240	12	7.2 kg	42.0 cm	28.0 cm	46.0 cm
GKE702UD01WH09 [VE702P09]	White	09	VE702P	3295249128814	13295249128811	240	12	7.77 kg	28.8 cm	45.2 cm	48.4 cm
GKE702UD01WH10 [VE702P10]	White	10	VE702P	3295249128821	13295249128828	240	12	7.7 kg	28.6 cm	42.0 cm	48.6 cm
GKE702UD01WH11 [VE702P11]	White	11	VE702P	3295249251970	13295249251977	240	12	8.6 kg	28.6 cm	47.8 cm	46.4 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height