



Hand protection

VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications



Specific benefits



Performance

- Extra thick and long for extra protection of the entire arm

Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Maintenance
- Chemical industry
- Automotive

Certifications and norms



EN 388
3 1 1 0 X



EN ISO 374-1
TYPE A
AKLMNOPT



EN ISO 374-5

Protects against risks



Biological



Wearing



Chemical



Particules



Hand protection

VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications

Standards - Details



EN388:2016+A1:2018

3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
1 [0-4] TEAR RESISTANCE
0 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997



EN 374

A : MÉTHANOL
K
L
M
N
O
P
T

Technical details

Glove kind	Tight glove
Glove family	Tight glove supported
Tight glove kind	Supported
Coating level	Fully coated
Coating material	Neoprene
Coating finition	Grip-textured
Number of layer	Single layer
Inner finition	Flocked
Lining material	Cotton Textile
Thickness (mm)	0,75
Arm level protection	Forearm cuff (< 400mm)
Benefits element	Reach
Color	Black
Size	6, 7, 8, 9, 10, 11
Type of packaging	in individual bag

Packaging

Sale unit: in individual bag
120 pairs /box



Hand protection

VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications

Permeation table

Chemicals	Letter	CAS #	Permeation level	Permeation time (minutes)	Dégradation moyenne
Methanol	A	67-56-1	3	60	3.8%
Sodium Hydroxyde 40%	K	1310-73-2	6	480	-0.1%
Acide Sulfurique 96%	L	7664-93-9	4	120	23.5%
Nitric Acid 65%	M	7697-37-2	6	480	19.3%
Acetic Acid 99%	N	64-19-7	5	240	19%
Hydroxyde d'ammonium 25%	O	1336-21-6	3	60	-12.9%
Peroxyde d'Hydrogène 30%	P	7722-84-1	6	480	-2.8%
Acide hydrofluorique 40%	S	7664-39-3	6	480	X
Formaldehyde 37%	T	50-00-0	6	480	6.7%



Safety gloves

VE509

WORK WITH PROLONGED CHEMICAL RESISTANCE

Chemical glove with good grip for all types of applications

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
GWE509C101BK07 [VE509NO06]	Black	6/7	VE509	3295249011970	13295249011977	120	12	17.0 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK08 [VE509NO07]	Black	7/8	VE509	3295249011987	13295249011984	120	12	13.5 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK09 [VE509NO08]	Black	8/9	VE509	3295249011994	13295249011991	120	12	15.0 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK10 [VE509NO09]	Black	9/10	VE509	3295249012007	13295249012004	120	12	16.0 kg	27.5 cm	30.0 cm	61.0 cm
GWE509C101BK11 [VE509NO10]	Black	10/11	VE509	3295249012014	13295249012011	120	12	17.2 kg	27.5 cm	30.0 cm	61.0 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height