



Foot protection

PHOENIX2 S3S SR

UTILITIES

Non-magnetic high-cut shoe with robust construction, thanks to quadruple stitching.



Specific benefits



Comfort

- Stabilisation of the foot when walking
- Shock-absorbing heel to relieve joint strain
- Dual-density outsole
- Padded collar for comfort and ankle support



Performance

- Metal-free: get through every security gate without a hitch thanks to the absence of metal.
- High stability ensured by the sole's grip properties

Certifications and norms



EN ISO 20345:2022

S3S CI HI WPA FO A E CR SR

Applications

- Agriculture
- Public works
- Building
- Finishing works / Craftsmanship
- Heavy industry
- Light industry

Protects against risks



Antistatic



Heat



Shock



Cold



Foot protection

PHOENIX2 S3S SR

UTILITIES

Non-magnetic high-cut shoe with robust construction, thanks to quadruple stitching.

Standards - Details

Technical details

Shoe type	High-cut shoe
Outsole material	PU, 2d
Anti-perforation insert	Metal free
Upper material	Leather
Upper finition material	Croupon, Pigmented, Water repellent
Safety toe-cap	Composite
Lining material	Textile, Mesh polyamid
Footbed material	Polyester, PU
Footbed caracteristic	Cold barrier, Ergonomic, Shock-absorption, Removable, Heat barrier, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	570
Size range	36 → 48



Safety footwear

PHOENIX2 S3S SR

UTILITIES

Non-magnetic high-cut shoe with robust construction, thanks to quadruple stitching.

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
PHOES3S01BK036 [PHOE2S3SNO36]	Black	36	PHOENIX2 S3S SR	3295249290818	13295249290815	5	1	6.8 kg	59.5 cm	22.5 cm	34.0 cm
PHOES3S01BK037 [PHOE2S3SNO37]	Black	37	PHOENIX2 S3S SR	3295249291327	13295249291324	5	1	7.1 kg	59.5 cm	22.5 cm	34.0 cm
PHOES3S01BK038 [PHOE2S3SNO38]	Black	38	PHOENIX2 S3S SR	3295249291334	13295249291331	5	1	7.3 kg	59.5 cm	22.5 cm	34.0 cm
PHOES3S01BK039 [PHOE2S3SNO39]	Black	39	PHOENIX2 S3S SR	3295249291341	13295249291348	5	1	7.4 kg	59.5 cm	22.5 cm	34.0 cm
PHOES3S01BK040 [PHOE2S3SNO40]	Black	40	PHOENIX2 S3S SR	3295249291358	13295249291355	5	1	7.6 kg	59.5 cm	22.5 cm	34.0 cm
PHOES3S01BK041 [PHOE2S3SNO41]	Black	41	PHOENIX2 S3S SR	3295249291365	13295249291362	5	1	7.8 kg	64.5 cm	24.5 cm	36.0 cm
PHOES3S01BK042 [PHOE2S3SNO42]	Black	42	PHOENIX2 S3S SR	3295249291372	13295249291379	5	1	8.5 kg	64.5 cm	24.5 cm	36.0 cm
PHOES3S01BK043 [PHOE2S3SNO43]	Black	43	PHOENIX2 S3S SR	3295249291389	13295249291386	5	1	8.6 kg	64.5 cm	24.5 cm	36.0 cm
PHOES3S01BK044 [PHOE2S3SNO44]	Black	44	PHOENIX2 S3S SR	3295249291396	13295249291393	5	1	9.0 kg	64.5 cm	24.5 cm	36.0 cm
PHOES3S01BK045 [PHOE2S3SNO45]	Black	45	PHOENIX2 S3S SR	3295249291402	13295249291409	5	1	9.5 kg	64.5 cm	24.5 cm	36.0 cm
PHOES3S01BK046 [PHOE2S3SNO46]	Black	46	PHOENIX2 S3S SR	3295249291419	13295249291416	5	1	9.5 kg	69.5 cm	25.5 cm	38.0 cm
PHOES3S01BK047 [PHOE2S3SNO47]	Black	47	PHOENIX2 S3S SR	3295249291426	13295249291423	5	1	9.7 kg	69.5 cm	25.5 cm	38.0 cm
PHOES3S01BK048 [PHOE2S3SNO48]	Black	48	PHOENIX2 S3S SR	3295249291433	13295249291430	5	1	9.9 kg	69.5 cm	25.5 cm	38.0 cm



Multiple sales

DELTA PLUS

Minimum sales

enjoy safety

26/07/2026
www.deltaplus.eu