



MIAMI S1P SRC ESD

ESD

Lightweight, flexible low cut shoe, ideal for ESD environments

Foot protection



Specific benefits



Comfort

- Flexible sole to reduce fatigue during use
- Lightweight product to reduce fatigue throughout the day
- Second-skin effect for a close-fitting fit



Performance

- Enhanced protection against electrostatic discharge
- High stability ensured by the sole's grip properties



Hygiene

- Removable insock for easy cleaning

Applications

- **Finishing works / Craftsmanship**
- **Events & scenic**
- **Light industry**
- **Maintenance**
- **Automotive**
- **Temporary work**

Certifications and norms



EN ISO 20345:2011
S1P FO A E ESD SRC

Protects against risks



Antistatic



Shock



Slip



Perforation



MIAMI S1P SRC ESD

ESD

Lightweight, flexible low cut shoe, ideal for ESD environments

Foot protection

Standards - Details

Technical details

Shoe type	Low-cut shoe
Outsole material	PU
Anti-perforation insert	Stainless steel
Upper material	Polyester, Cotton
Safety toe-cap	Stainless steel
Footbed material	EVA, Polyester
Footbed characteristic	Removable, Breathable, Pre-molded
Outsole finition	Injected
Weight (g per shoe)	456
Size range	35 → 48








MIAMI S1P SRC ESD

ESD


Foot protection

Lightweight, flexible low cut shoe, ideal for ESD environments

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
MIAMS1P01BK0 35 [MIAMIEPNO35]	Black	3	MIAMI S1P SRC ESD	3295249243210	13295249243217	10	1	9.5 kg	23.4 cm	59.8 cm	33.2 cm
MIAMS1P01BK0 36 [MIAMIEPNO36]	Black	4	MIAMI S1P SRC ESD	3295249247409	13295249247406	10	1	9.4 kg	23.6 cm	60.0 cm	33.6 cm
MIAMS1P01BK0 37 [MIAMIEPNO37]	Black	5	MIAMI S1P SRC ESD	3295249247416	13295249247413	10	1	9.8 kg	23.8 cm	59.8 cm	33.4 cm
MIAMS1P01BK0 38 [MIAMIEPNO38]	Black	6	MIAMI S1P SRC ESD	3295249247423	13295249247420	10	1	10.4 kg	24.0 cm	59.6 cm	33.6 cm
MIAMS1P01BK0 39 [MIAMIEPNO39]	Black	6	MIAMI S1P SRC ESD	3295249247430	13295249247437	10	1	10.9 kg	24.6 cm	61.8 cm	35.0 cm
MIAMS1P01BK0 40 [MIAMIEPNO40]	Black	7	MIAMI S1P SRC ESD	3295249247447	13295249247444	10	1	11.0 kg	24.6 cm	62.4 cm	34.8 cm
MIAMS1P01BK0 41 [MIAMIEPNO41]	Black	8	MIAMI S1P SRC ESD	3295249247454	13295249247451	10	1	11.1 kg	24.8 cm	61.8 cm	34.8 cm
MIAMS1P01BK0 42 [MIAMIEPNO42]	Black	9	MIAMI S1P SRC ESD	3295249247461	13295249247468	10	1	11.6 kg	25.6 cm	65.4 cm	36.8 cm
MIAMS1P01BK0 43 [MIAMIEPNO43]	Black	10	MIAMI S1P SRC ESD	3295249247478	13295249247475	10	1	12.1 kg	25.6 cm	65.2 cm	37.0 cm
MIAMS1P01BK0 44 [MIAMIEPNO44]	Black	11	MIAMI S1P SRC ESD	3295249247485	13295249247482	10	1	11.7 kg	26.2 cm	64.0 cm	36.6 cm
MIAMS1P01BK0 45 [MIAMIEPNO45]	Black	11,5	MIAMI S1P SRC ESD	3295249247492	13295249247499	10	1	12.8 kg	26.8 cm	67.8 cm	40.2 cm
MIAMS1P01BK0 46 [MIAMIEPNO46]	Black	12	MIAMI S1P SRC ESD	3295249247508	13295249247505	10	1	13.1 kg	27.0 cm	67.4 cm	40.2 cm
MIAMS1P01BK0 47 [MIAMIEPNO47]	Black	13	MIAMI S1P SRC ESD	3295249247515	13295249247512	10	1	13.7 kg	27.2 cm	67.2 cm	41.0 cm
MIAMS1P01BK0 48 [MIAMIEPNO48]	Black	14	MIAMI S1P SRC ESD	3295249247522	13295249247529	10	1	13.5 kg	26.8 cm	67.6 cm	40.6 cm

 Multiple Sales

 Minimum Order Quantity

 Box Width

 Box Depth

 Box Height