



Head protection

SCREEN

WELDING

Welding mask suitable for electric arc and Tig & Mig welding applications



Applications

- Public works
- Building
- Finishing works / Craftsmanship
- Manufacturing/Transformation
- Light industry
- Maintenance

Certifications and norms



EN 379

1/1/1/2
4/9

EN175

F

EN166

1 F

ANSI Z87.1 - IMPACT

Z87 W4/9-13

Protects against risks



Heat



Shock



UV / IR



Head protection

SCREEN

WELDING

Welding mask suitable for electric arc and Tig & Mig welding applications

Standards - Details

Technical details

Use	Inside/outside
Type of eye protection	Welding helmet
Lens matériel	Polycarbonate
Lens support	Monobloc
Lens color	Welding 13
Optical class	1
Lens protection class	4
Lens characteristic	Straight
Mechanical strength (lens)	F
Frame color	Black
Weight (g)	474



SCREEN

WELDING

Head protection

Welding mask suitable for electric arc and Tig & Mig welding applications

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VWLD1301BK [SCREEN]	Black	Adjustable	SCREEN	3295249210076	13295249210073	6	1	6.8 kg	33.4 cm	52.2 cm	73.8 cm



Multiple sales



Minimum sales



Box Width



Box Depth



Box Height