Fall protection

SPIRAL AN218S200ADD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.

Specific benefits

Hygiene

· Harnesses and textiles can be washed with neutral soap

Performance

· Certification above the maximum rated load of 100 kg: product certified at 140 kg

· Strap with improved abrasion resistance and certified for use on sharp edges

Durability

· Thermo-retractable tube to extend the life of lanyards

Certifications and norms

CE CATEGORY III

EN355
HORIZONTAL CERTIFICATION - 140 KG
RFU 11.062
140 KG

Applications

- **Public works**
- **Finishing works / Craftsmanship**
- **Automotive**
- **Power Energy**
- **Storage**

Protects against risks

Fall

Fall protection

SPIRAL AN218S200ADD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.

Standards - Details

Technical details

Type of equipment	Energy-absorbing lanyard made of braided rope with thermoformable sheath
Composition of the main support	Steel, Polyamide, Polyester
Length (m)	2
Rope diameter (mm)	10,5
With connector	yes
Color	White-Black
Connector (user side)	Automatic lock hook, steel, opening 19mm
Benefits element	Leading edge
Ending	2 sewn thimble loops
Connector (structure side)	2 automatic lock hooks, steel, opening 55 mm
Lifespan from manufacturing (years)	10
Weight (kg)	1,97
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Lenght (ft)	6.5616

Fall protection

SPIRAL AN218S200ADD

ENERGY ABSORBING LANYARDS

Compact, 2-metre double energy-absorbing lanyard with patented system, guaranteeing great freedom of movement for short distances.

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height