Fall protection

# HAR24HA

## FALL ARRESTER HARNESSES

Ergonomic harness with belt for maximum freedom of movement, 2 anchorage points and automatic buckles



## Certifications and norms

CE CATEGORY III

**EN361**
150 KG

**EN358**
150 KG

## Protects against risks

Fall

## Specific benefits

### Comfort

· Specifically designed leg straps providing freedom of movement for long working days
· Bavarian design adapted to the body shape of women and men
· Thermoformed belt for optimal lumbar support and comfort

### Hygiene

· Harnesses and textiles can be washed with neutral soap

### Performance

· Certification above the maximum rated load of 100 kg: product certified at 150 kg

### Easy to use

· Ergonomic design facilitating user movements

## Applications

- **Agriculture**
- **Fishing**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Chemical industry**



Fall protection

# HAR24HA

## FALL ARRESTER HARNESSES

Ergonomic harness with belt for maximum freedom of movement, 2 anchorage points and automatic buckles

## Standards - Details

## Technical details

| | |
|---|---|
| Type of equipment | Fall arrester harness with restraint |
| Composition of the main support | Steel, Polyester |
| Fastening | Buckles |
| Number of attachment points | 2 |
| Number of total holding attachment points | 2 |
| Type of Buckles | Automatic loop |
| Anti-fall point | Dorsal, Sternal |
| Holding point | Belt |
| Color | Black |
| Size | S/M/L, XL/XXL |
| Benefits element | Comfort, Fall indicator |
| Lifespan from manufacturing (years) | 10 |
| Weight (kg) | 1,7 |
| Number of manual buckles | 6 |
| Number of fall arrest anchorage points | 2 |
| Padding | Back, Belt |
| Sternal | 1 |
| Dorsal | 1 |
| Belt | 2 |
| Fall arrest work situations | Vertical movement on a permanent structure, Work positioning, Movement on lifeline, Restraint, Long vertical movement or movement on inclined surface, Short vertical movement or movement on inclined surface (less than 3 m), Vertical movement, confined space, Long horizontal movement on horizontal surface, Long horizontal movement on vertical structure, Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection |



Fall protection

# HAR24HA

## FALL ARRESTER HARNESSES

Ergonomic harness with belt for maximum freedom of movement, 2 anchorage points and automatic buckles

### Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height