Fall protection

# AN213100ZDD

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high-impact webbing, for short distances

## Specific benefits

### Hygiene

· Harnesses and textiles can be washed with neutral soap

### Performance

· Strap with improved abrasion resistance and certified for use on sharp edges

· Certification above the maximum rated load of 100 kg: product certified at 140 kg

## Applications

- **Public works**
- **Finishing works / Craftsmanship**
- **Automotive**
- **Power Energy**
- **Storage**

## Certifications and norms

CE CATEGORY III

**EN355**
HORIZONTAL CERTIFICATION - 140 KG
RFU 11.062
140 KG

## Protects against risks

Fall

Fall protection

# AN213100ZDD

## ENERGY ABSORBING LANYARDS

Double energy absorbing lanyard, made of high-impact webbing, for short distances

## Standards - Details

## Technical details

| | |
|---|---|
| Type of equipment | Flat webbing lanyard with energy absorber |
| Composition of the main support | Steel, Polyester |
| Length (m) | 1 |
| With connector | yes |
| Color | Orange |
| Connector (user side) | Automatic lock hook, steel, opening 19mm |
| Ending | 2 sewn thimble loops |
| Connector (structure side) | 2 automatic lock hooks, steel, opening 55 mm |
| Lifespan from manufacturing (years) | 10 |
| Weight (kg) | 1,3 |
| Fall arrest work situations | Vertical movement on a permanent structure, Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection |
| Lenght (ft) | 3.2808 |

# AN213100ZDD

## ENERGY ABSORBING LANYARDS

Fall protection

Double energy absorbing lanyard, made of high-impact webbing, for short distances

## Logistics Information

| Reference | Color | Size | Designation | EAN13 | Box Code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| ENAD1001DZ011 [ AN213100ZDD ] | Orange | 1 m | AN213100ZDD | 3295249265076 | 13295249265073 | 5 | 1 | 8.58 kg | 54.0 cm | 21.5 cm | 15.5 cm |

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height