Fall protection

AN218R2ADD

ENERGY ABSORBING LANYARDS

Energy absorbing lanyard with adjustable length allowing the length to be adjusted and therefore reducing the air draft, if necessary

Specific benefits

Hygiene

· Harnesses and textiles can be washed with neutral soap

Performance

· Certification above the maximum rated load of 100 kg: product certified at 140 kg

· Strap with improved abrasion resistance and certified for use on sharp edges

Applications

- **Public works**
- **Finishing works / Craftsmanship**
- **Automotive**
- **Storage**

Certifications and norms

CE CATEGORY III

EN355
HORIZONTAL CERTIFICATION - 140 KG
RFU 11.062
140 KG

Protects against risks

Fall

Fall protection

AN218R2ADD

ENERGY ABSORBING LANYARDS

Energy absorbing lanyard with adjustable length allowing the length to be adjusted and therefore reducing the air draft, if necessary

Standards - Details

Technical details

Type of equipment	Braided rope lanyard with energy absorber
Composition of the main support	Steel, Polyamide, Polyester
Length (m)	2
Adjustment	Adjustable by means of a reducing loop on the rope
Rope diameter (mm)	12
With connector	yes
Color	White-Black
Connector (user side)	Automatic lock hook, steel, opening 19mm
Ending	1 loop sewn thimble
Connector (structure side)	2 automatic lock hooks, steel, opening 55 mm
Lifespan from manufacturing (years)	10
Weight (kg)	1,97
Fall arrest work situations	Movement on lifeline, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Lenght (ft)	6.5616

Fall protection

AN218R2ADD

ENERGY ABSORBING LANYARDS

Energy absorbing lanyard with adjustable length allowing the length to be adjusted and therefore reducing the air draft, if necessary

Logistics Information

Reference	Color	Size	Designation	EAN13	Box Code			Weight			
ENAD3002DZ021 [AN218R2ADD]	White-Black	1.50 → 2 m	AN218R2ADD	3295249265106	13295249265103	5	1	11.54 kg	29.5 cm	45.5 cm	28.0 cm

Multiple Sales

Minimum Order Quantity

Box Width

Box Depth

Box Height