Fall protection

ASCORD AN065

FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes



Specific benefits

Visibility

· Visual fall indicator for instant verification that the product is working properly

Applications

- **Building**
- **Finishing works / Craftsmanship**
- **Chemical industry**
- **Automotive**
- **Oil & Gas (extraction)**
- **Petrochemical**

Certifications and norms

CE CATEGORY III

EN353-2
MAXIMUM RATED LOAD: 100

Protects against risks

Fall

Fall protection

ASCORD AN065

FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes

Standards - Details

Technical details

Type of equipment	Stranded rope
Composition of the main support	Stainless steel
Rope diameter (mm)	14
Color	Steel
Weight (kg)	0,764
Fall arrest work situations	Long vertical movement or movement on inclined surface
Maximum rated load (kg)	100
Type of opening	Opening

Fall protection

ASCORD AN065

FALL ARRESTERS ON ROPE

Lightweight and compact sliding fall arrest system for use on 14 mm stranded ropes

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
LIN1999002100 [AN065]	Steel	One size	ASCORD AN065	3295249237356	13295249237353	5	1	4.57 kg	0.175 m	0.295 m	0.115 m

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height