Fall protection

# AN30020

## FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances



## Applications

- **Finishing Works/Craftsmanship**
- **Chemical Industry**
- **Automotive**
- **Oil & Gas (Extraction)**
- **Petrochemical**
- **Power Energy**

## Certifications and norms

CE CATEGORY III

**EN353-2**

## Risk Protection

Fall

Fall protection

# AN30020

## FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

## Standards - Details

## Technical details

| | |
|---|---|
| Type of equipment | Stranded rope |
| Composition of the main support | Polyamide |
| Length (m) | 20 |
| Rope diameter (mm) | 356.3 |
| Color | White |
| Ending | End spliced with thimble loop |
| Weight (kg) | 3 |
| Fall arrest work situations | Long vertical movement or movement on inclined surface |
| Lenght (ft) | 65.616 |

Fall protection

# AN30020

## FALL ARRESTERS ON ROPE

20 metre anchorage line made from 14 mm stranded rope for use with the AN065 sliding fall arrest system for long distances

## Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| LIN1020101020 [ AN30020 ] | White | 20 m | AN30020 | 3295249237424 | 13295249237421 | 5 | 1 | 15.98 kg | 23.0 cm | 80.0 cm | 32.0 cm |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height