Fall protection

MICROBLOC AN106

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for short distances

Certifications and norms

CE CATEGORY III

EN360
RFU 10.060
HORIZONTAL CERTIFICATION
RFU 11.062
140 KG
RFU 11.085
F2

Protects against risks

Fall

Specific benefits

Comfort

· Double swivel for optimum user tracking

Hygiene

· Harnesses and textiles can be washed with neutral soap

Performance

· Certification above the maximum rated load of 100 kg: product certified at 140 kg

Easy to use

· Automatic carabiners for secure and time-saving locking
· NFC system guarantees traceability

Visibility

· Visual fall indicator for instant verification that the product is working properly

Applications

- **Agriculture**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Chemical industry**
- **Oil & Gas (extraction)**

Fall protection

MICROBLOC AN106

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for short distances

Standards - Details

Technical details

Type of equipment	Webbing reel
Composition of the main support	Polyamide, Polyester
Max. length (m)	1,8
Strap width (mm)	19,5
ARA lenght (m)	1,8
ARA lenght (inch)	70.8662
Fall factor	F2
Included elements	Included energy absorber
Color	Black
Connector (user side)	Automatic lock hook, steel, opening 55mm
Lifespan from manufacturing (years)	10
Weight (kg)	1,46
Maximum load for one person (kg)	140
Fall arrest work situations	Vertical movement on a permanent structure, Short vertical movement or movement on inclined surface (less than 3 m), Short horizontal movement (less than 3 m), Long movement with multi connection /disconnection
Use of self retracting	Horizontal, Vertical

Fall protection

MICROBLOC AN106

RETRACTABLE FALL ARRESTERS

Self-retractable webbing fall arrester for vertical and horizontal use, for short distances

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height