Hand protection

# VENIFISH VE990

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

## Specific benefits

### Durability

· High-quality coating extends the life of the glove and provides excellent protection for the hand

### Hygiene

· Reduces perspiration thanks to its excellent breathability

### Performance

· Extra thick and long for extra protection of the entire arm

## Certifications and norms

CE CATEGORY III

**EN 388**
3 1 2 1 X

**EN ISO 374-1**
TYPE A
AKLMNPT

**EN ISO 374-5**

**EN 407**
X 1 X X X X

## Applications

- **Agriculture**
- **Public works**
- **Building**
- **Manufacturing/Transformation**
- **Accomodation & Food services**
- **Maintenance**

## Protects against risks

Heat | Biological | Wearing | Chemical

DELTAPLUS

enjoy safety.

Edit 05/11/2026

Hand protection

# VENIFISH VE990

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

## Standards - Details

**EN388:2016+A1:2018**
3 [0-4] ABRASION RESISTANCE
1 [0-5] CUT RESISTANCE
2 [0-4] TEAR RESISTANCE
1 [0-4] PIERCE RESISTANCE
X [A-F] CUT RESISTANCE ISO 13997

**EN 374**
A : MÉTHANOL
K
L
M
N
P
T

**EN 407**
X [0-4] BURNING BEHAVIOUR
1 [0-4] CONTACT HEAT RESISTANCE
X [0-4] CONVECTIVE HEAT
X [0-4] RADIANT HEAT RESISTANCE
X [0-4] SMALL DROP MOLTEN METAL
X [0-4] LARGE QUANTITY MOLTEN METAL

## Technical details

| | |
|---|---|
| Glove kind | Tight glove |
| Glove family | Tight glove supported |
| Tight glove kind | Supported |
| Coating level | Fully coated |
| Coating material | Latex |
| Coating finition | Grip-textured |
| Number of layer | Single layer |
| Lining material | Cotton Textile |
| Thickness (mm) | 1,8 |
| Arm level protection | Forearm cuff (< 400mm) |
| Color | Orange |
| Size | 7, 8, 9, 10, 11 |
| Type of packaging | Bulk bag of 12 |

## Packaging

Sale unit: Bulk bag of 12
120 pairs /box

Hand protection

# VENIFISH VE990

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

## Permeation table

| Chemicals | Letter | CAS # | Permeation level | Permeation time (minutes) | Dégradation moyenne |
|---|---|---|---|---|---|
| Methanol | A | 67-56-1 | 6 | 480 | -5.9% |
| Sodium Hydroxyde 40% | K | 1310-73-2 | 6 | 480 | -4.1% |
| Acide Sulfurique 96% | L | 7664-93-9 | 4 | 120 | -101.7% |
| Nitric Acide 65% | M | 7697-37-2 | 5 | 240 | -92.2% |
| Acetic Acid 99% | N | 64-19-7 | 4 | 120 | -62.1% |
| Peroxyde d'Hydrogène 30% | P | 7722-84-1 | 6 | 480 | -48.2% |
| Acide hydrofluorique 40% | S | 7664-39-3 | 6 | 480 | X |
| Formaldehyde 37% | T | 50-00-0 | 6 | 480 | -10.6% |

Safety gloves

# VENIFISH VE990

## WORK WITH PROLONGED CHEMICAL RESISTANCE

Very comfortable multi-standard chemical glove with a very rough palm for excellent grip when handling acids

## Logistics information

| Reference | Colour | Size | Designation | EAN13 | Box code | | | Weight | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|
| VE990OR07 | Orange | 7/8 | VENIFISH VE990 | 3295249024116 | 13295249024113 | 120 | 12 | 25.0 kg | 49.0 cm | 31.0 cm | 64.0 cm |
| VE990OR08 | Orange | 8/9 | VENIFISH VE990 | 3295249024123 | 13295249024120 | 120 | 12 | 23.1 kg | 49.0 cm | 31.0 cm | 64.0 cm |
| VE990OR09 | Orange | 9/10 | VENIFISH VE990 | 3295249024130 | 13295249024137 | 120 | 12 | 23.9 kg | 49.0 cm | 31.0 cm | 64.0 cm |
| VE990OR10 | Orange | 10/11 | VENIFISH VE990 | 3295249024147 | 13295249024144 | 120 | 12 | 24.4 kg | 49.0 cm | 31.0 cm | 64.0 cm |

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height