VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Applications

- **Public works**
- **Building**
- **Finishing works / Craftsmanship**
- **Maintenance**
- **Automotive**
- **Mining**

Certifications and norms

CE CATEGORY II

EN 388
4 X 4 2 C

ANSI/ISEA 105-2024
A3 X X

Protects against risks

Cutting

Wearing

DELTAPLUS

enjoy safety.

VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Hand protection

Standards - Details

EN388:2016+A1:2018
4 [0-4] ABRASION RESISTANCE
X [0-5] CUT RESISTANCE
4 [0-4] TEAR RESISTANCE
2 [0-4] PIERCE RESISTANCE
C [A-F] CUT RESISTANCE ISO 13997

Technical details

Glove kind	Mechanical glove
Glove family	Knitted coated glove
Mechanical glove kind	Knitted
Weft yarn	Econocut
Coating level	Palm coated
Coating material	PU
Coating finition	Smooth
Number of layer	Single layer
Gauge	13
Color	Grey-Black
Size	7, 8, 9, 10
Type of packaging	Pack of 3

Packaging

Sale unit: Pack of 3
40 pairs /box

VENICUT44

SLIGHTLY SHARP AND LONG-LASTING WORK

Safety gloves

Logistics information

Reference	Colour	Size	Designation	EAN13	Box code			Weight			
VECUT44GRG307	Grey-Black	07	VENICUT44	0	0	40	4	8.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG308	Grey-Black	08	VENICUT44	0	13295249191846	40	4	8.2 kg	34.4 cm	58.2 cm	29.4 cm
VECUT44GRG309	Grey-Black	09	VENICUT44	0	0	40	4	10.2 kg	55.0 cm	33.0 cm	27.0 cm
VECUT44GRG310	Grey-Black	10	VENICUT44	0	0	40	4	9.4 kg	35.0 cm	61.4 cm	30.2 cm

Multiple sales

Minimum sales

Box Width

Box Depth

Box Height